

Species lists based on plot records from DEP (1996), Gibson et al. (1994), Griffin (1993), Keighery (1996) and Weston et al. (1992). Taxonomy and species attributes according to Keighery et al. (2006) as of 16th May 2005.

| Wd? | Species Name | Common Name | Family | Major Plant Group | Significant Species | Endemic | Growth Form Code | Growth Form | Life Form | Life Form - aquatics | Common SSCP Wetland Species | BFS No | | | | |
|-----|--|----------------------|------------------|-------------------|---------------------|---------|------------------|-------------|-----------|----------------------|-----------------------------|--------|---|---|---|---|
| | Acacia drewiana subsp. drewiana | Drew's Wattle | Mimosaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | y |
| | Acacia lasiocarpa var. bracteolata long peduncle variant(G.J.Keighery 5026) PN | Clay Moses | Mimosaceae | Dicot | P1/p,s,e | WA | 3 | SH | P | | y | 321 | | | | y |
| | Acacia pulchella | Prickly Moses | Mimosaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | y |
| | Acacia pulchella var. reflexa | Prickly Moses | Mimosaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |
| | Acacia sessilis | Wattle | Mimosaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | y |
| | Adenanthes meisneri | Meisner's Jugflower | Proteaceae | Dicot | | WA | 3 | SH (PR) | P | | | 321 | | | | y |
| | Agrostis preissii | Preiss's Blowngrass | Poaceae | Monocot | | WA | 5 | G | A | | | 321 | | y | | |
| | Agrostocrinum scabrum | False Blindgrass | Anthericaceae | Monocot | | WA | 4 | H | P | | | 321 | y | | | y |
| | Allocasuarina humilis | Dwarf Sheoak | Casuarinaceae | Dicot | | WA | 3 | SH | P | | | 321 | | y | | y |
| | Amphipogon debilis | Amphipogon | Poaceae | Monocot | | WA | 5 | G | P | | | 321 | y | | | |
| | Amphipogon laguroides | Amphipogon | Poaceae | Monocot | | WA | 5 | G | P | | y | 321 | | y | | |
| | Amphipogon turbinatus | Amphipogon | Poaceae | Monocot | | WA | 5 | G | P | | | 321 | y | | | y |
| * | Agagallis arvensis | Pimpernel | Primulaceae | Dicot | | | 4 | H | A | | | 321 | y | y | | |
| | Agiozanthos manglesii subsp. manglesii | Kangaroo Paw | Haemodoraceae | Monocot | | WA | 4 | H | PAB | | | 321 | | | | y |
| | Anigozanthos viridis subsp. viridis | Green Kangaroo Paw | Haemodoraceae | Monocot | | WA | 4 | H | PAB | | y | 321 | y | | | |
| | Autus procumbens | Prostrate Aotus | Papilionaceae | Dicot | | WA | 3 | SH (PR) | P | | | 321 | y | | | |
| | Aphelia cyperoides | Hairy Aphelia | Centrolepidaceae | Monocot | | WA | 6 | S-C | A | | y | 321 | y | y | | y |
| | Arnocrinum preissii | Preiss's Arnocrinum | Anthericaceae | Monocot | | WA | 4 | H | PAB | | | 321 | y | | | |
| | Astroloma pallidum | Astroloma | Epacridaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | y |
| | Austrodanthonia caespitosa | Common Wallaby Grass | Poaceae | Monocot | AUST | 5 | G | P | | | | 321 | | | | y |
| | Austrodanthonia pilosa | Velvet Wallaby Grass | Poaceae | Monocot | AUST | 5 | G | P | | | | 321 | y | | | |
| | Austrostipa compressa | Golden Speargrass | Poaceae | Monocot | | WA | 5 | G | P | | | 321 | | y | | |
| | Austrostipa semibarbata | Bearded Speargrass | Poaceae | Monocot | AUST | 5 | G | P | | | | 321 | | | | y |
| | Baeckea camphorosmae | Camphor Myrtle | Myrtaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | y | y | |
| | Banksia attenuata | Candle Banksia | Proteaceae | Dicot | | WA | 1 | T | P | | | 321 | y | | | |
| | Banksia menziesii | Firewood Banksia | Proteaceae | Dicot | | WA | 1 | T | P | | | 321 | y | | | |
| | Baumea acuta | Pale Twigrush | Cyperaceae | Monocot | AUST | 6 | S-C | P | AQE | | | 321 | | | | y |
| | Baumea juncea | Bare Twigrush | Cyperaceae | Monocot | AUST | 6 | S-C | P | | y | 321 | | | | y | |
| | Borya scirpoidea | Granite Pincushions | Boryaceae | Monocot | | WA | 4 | H | P | | y | 321 | y | y | y | y |
| | Bossiaea eriocarpa | Common Bossiaea | Papilionaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |
| * | Briza maxima | Blowfly Grass | Poaceae | Monocot | | | 5 | G | A | | | 321 | y | y | y | y |
| * | Briza minor | Shivery Grass | Poaceae | Monocot | | | 5 | G | A | | | 321 | | y | y | y |
| | Burchardia congesta | Kara | Colchicaceae | Monocot | | WA | 4 | H | PAB | | | 321 | | y | | |
| | Burchardia multiflora | Kara | Colchicaceae | Monocot | | WA | 4 | H | PAB | | y | 321 | y | | y | |
| | Caesia micrantha | Pale Grasslily | Anthericaceae | Monocot | | WA | 4 | H | PAB | | | 321 | | y | y | y |
| | Caesia micrantha (Large swamp form) (BJ Keighery and N Gibson 094) | Pale Grasslily | Anthericaceae | Monocot | e | WA | 4 | H | PAB | | | 321 | | | | |
| | Caesia occidentalis | Tall Grasslily | Anthericaceae | Monocot | | WA | 4 | H | PAB | | | 321 | | | | y |
| | Calectasia grandiflora | Blue Tinsel Lily | Dasygolygonaceae | Monocot | | WA | 4 | H-SH | P | | | 321 | | y | | |
| | Calectasia narragara | Blue Tinsel Lily | Dasygolygonaceae | Monocot | | WA | 4 | H-SH | P | | | 321 | y | | | |
| | Calytrix aurea | Golden Starflower | Myrtaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |

Species lists based on plot records from DEP (1996), Gibson et al. (1994), Griffin (1993), Keighery (1996) and Weston et al. (1992). Taxonomy and species attributes according to Keighery et al. (2006) as of 16th May 2005.

| Wd? | Species Name | Common Name | Family | Major Plant Group | Significant Species | Endemic | Growth Form Code | Growth Form | Life Form | Life Form - aquatics | Common SSCP Wetland Species | BFS No | | | | | |
|-----|--|-------------------------|------------------|-------------------|---------------------|---------|------------------|-------------|-----------|----------------------|-----------------------------|--------|---|---|---|---|---|
| | Cassytha glabella | Dodder Laurel | Lauraceae | Dicot | | WA | 4 | H (CL) | P-PAR | | | 321 | y | | y | y | y |
| | Centrolepis aristata | Pointed Centrolepis | Centrolepidaceae | Monocot | | AUST | 6 | S-C | A | | | 321 | | y | | | |
| | Centrolepis drummondiana | Sand Centrolepis | Centrolepidaceae | Monocot | | AUST | 6 | S-C | A | | | 321 | y | | | | |
| | Chamaescilla corymbosa var. corymbosa | Blue Squill | Anthericaceae | Monocot | | | 4 | H | PAB | | | 321 | y | y | | y | y |
| | Chordifex sinuosus MS | Chordifex | Restionaceae | Monocot | | | 6 | S-R | P | | | 321 | y | | y | | y |
| | Chorizandra enodis | Black Bristlerush | Cyperaceae | Monocot | | AUST | 6 | S-C | P | | y | 321 | | y | | | |
| | Comesperma calymega | Blue Comesperma | Polygalaceae | Dicot | | AUST | 3 | SH-H | P | | | 321 | y | | | | |
| | Conospermum stoechadis subsp. stoechadis | Common Smokebush | Proteaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | | |
| | Conostephium pendulum | Pearlflower | Epacridaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | | |
| | Conostylis aculeata | Prickly Conostylis | Haemodoraceae | Monocot | | WA | 4 | H | P | | | 321 | | | y | y | y |
| | Conostylis juncea | Conostylis | Haemodoraceae | Monocot | | WA | 4 | H | P | | | 321 | y | | | | |
| | Conostylis setigera subsp. setigera | Conostylis | Haemodoraceae | Monocot | | WA | 4 | H | P | | | 321 | y | y | y | y | y |
| | Cyathochaeta avenacea | Cyathochaeta | Cyperaceae | Monocot | | WA | 6 | S-C | P | | | 321 | y | y | y | y | y |
| * | Cyperus tenellus | Tiny Flat Sedge | Cyperaceae | Monocot | | | 6 | S-C | P | | | 321 | | y | | | |
| | Dampiera alata | Dampiera | Goodeniaceae | Dicot | | WA | 4 | H-SH | P | | | 321 | | | y | | |
| | Dampiera linearis | Dampiera | Goodeniaceae | Dicot | | WA | 4 | H-SH | P | | | 321 | y | y | y | y | y |
| | Darwinia thymoides subsp. thymoides | Scarp Darwinia | Myrtaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | | |
| | Dasypogon bromeliifolius | Pineapple Bush | Dasypogonaceae | Monocot | | WA | 3 | SH-H | P | | | 321 | y | y | y | | y |
| | Daviesia decurrens subsp. decurrens MS | Daviesia | Papilionaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | y | y |
| | Daviesia physodes | Daviesia | Papilionaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | | y |
| | Desmocladus fasciculatus | Desmocladus | Restionaceae | Monocot | | | 6 | S-R | P | | | 321 | y | y | y | y | y |
| | Drosera erythrorhiza subsp. erythrorhiza | Red Ink Sundew | Droseraceae | Dicot | | WA | 4 | H | PAB | | | 321 | y | | | | y |
| | Drosera gigantea subsp. gigantea | Giant Sundew | Droseraceae | Dicot | | WA | 4 | H | PAB | | y | 321 | y | y | | | |
| | Drosera glanduligera | Sundew | Droseraceae | Dicot | | AUST | 4 | H | A | | | 321 | | | | | y |
| | Drosera heterophylla | Rainbow | Droseraceae | Dicot | | WA | 4 | H | PAB | | y | 321 | y | | | | |
| | Drosera menziesii subsp. menziesii | Menzies' Rainbow | Droseraceae | Dicot | | WA | 4 | H | PAB | | | 321 | y | y | | y | y |
| | Drosera menziesii subsp. peniculariaris | Menzies' Rainbow | Droseraceae | Dicot | | WA | 4 | H | PAB | | | 321 | y | y | | | y |
| | Drosera paleacea subsp. paleacea | Sundew | Droseraceae | Dicot | | WA | 4 | H | PAA | | | 321 | | | | | |
| | Drosera pallida | Rainbow | Droseraceae | Dicot | | WA | 4 | H | PAB | | | 321 | | | | y | |
| | Drosera rosulata | Sundew | Droseraceae | Dicot | | WA | 4 | H | PAB | | y | 321 | y | y | | y | |
| | Drosera stolonifera subsp. porrecta | Sundew | Droseraceae | Dicot | | WA | 4 | H | PAB | | | 321 | y | | | | y |
| | Drosera subhirtella | Rainbow | Droseraceae | Dicot | | WA | 4 | H | PAB | | | 321 | y | | | | |
| | Dryandra lindleyana | Couch Honeypot | Proteaceae | Dicot | | WA | 3 | SH (PR) | P | | | 321 | y | y | y | y | y |
| * | Eragrostis curvula | African Love Grass | Poaceae | Monocot | | | 5 | G | P | | | 321 | | | | | y |
| | Eragrostis elongata | Native Swamp Eragrostis | Poaceae | Monocot | | AUST | 5 | G | P | | | 321 | | | | | y |
| | Eremaea asterocarpa subsp. asterocarpa | Star-fruited Eremaea | Myrtaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | y | | | |
| | Eriochilus dilatatus subsp. dilatatus MS | White Bunny Orchid | Orchidaceae | Monocot | | WA | 4 | H | PAB | | | 321 | y | | | | |
| | Eucalyptus calophylla | Marri | Myrtaceae | Dicot | | WA | 1 | T | P | | | 321 | y | y | | y | y |
| | Gastrolobium capitatum | Common Nemcia | Papilionaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | y | y | y |
| | Gompholobium aristatum | Yellow Gompholobium | Papilionaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | y | y | y |

Species lists based on plot records from DEP (1996), Gibson et al. (1994), Griffin (1993), Keighery (1996) and Weston et al. (1992). Taxonomy and species attributes according to Keighery et al. (2006) as of 16th May 2005.

| Wd? | Species Name | Common Name | Family | Major Plant Group | Significant Species | Endemic | Growth Form Code | Growth Form | Life Form | Life Form - aquatics | Common SSCP Wetland Species | BFS No | | | | |
|---|--------------------------------|---------------------------|---------------|-------------------|---------------------|---------|------------------|-------------|-----------|----------------------|-----------------------------|--------|---|---|---|---|
| | <i>Gompholobium marginatum</i> | Little Gompholobium | Papilionaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | y | |
| | <i>Gompholobium tomentosum</i> | Common Gompholobium | Papilionaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |
| | <i>Goodenia caerulea</i> | Goodenia | Goodeniaceae | Dicot | | WA | 4 | H-SH | P | | | 321 | y | y | y | |
| | <i>Goodenia pulchella</i> | Goodenia | Goodeniaceae | Dicot | | WA | 4 | H | P | | y | 321 | y | | y | |
| | <i>Grevillea bipinnatifida</i> | Fuchsia Grevillea | Proteaceae | Dicot | | WA | 3 | SH (PR) | P | | | 321 | | y | y | y |
| | <i>Grevillea pilulifera</i> | Woolly-flowered Grevillea | Proteaceae | Dicot | | WA | 3 | SH | P | | | 321 | | y | y | y |
| | <i>Haemodorum discolor</i> | Haemodorum | Haemodoraceae | Monocot | | WA | 4 | H | PAB | | | 321 | | | | y |
| | <i>Haemodorum laxum</i> | Haemodorum | Haemodoraceae | Monocot | | WA | 4 | H | PAB | | | 321 | y | y | y | y |
| | <i>Haemodorum spicatum</i> | Haemodorum | Haemodoraceae | Monocot | | WA | 4 | H | PAB | | | 321 | y | | | |
| | <i>Hakea ceratophylla</i> | Horned-leaf Hakea | Proteaceae | Dicot | | WA | 3 | SH | P | | y | 321 | y | y | y | y |
| | <i>Hakea incrassata</i> | Marble Hakea | Proteaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | y |
| | <i>Hakea prostrata</i> | Harsh Hakea | Proteaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | y | y |
| | <i>Hakea ruscifolia</i> | Candle Hakea | Proteaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | y |
| | <i>Hakea sulcata</i> | Furrowed Hakea | Proteaceae | Dicot | | WA | 3 | SH | P | | y | 321 | | | | y |
| | <i>Hakea trifurcata</i> | Two-leaf Hakea | Proteaceae | Dicot | | WA | 3 | SH | P | | | 321 | | | | y |
| | <i>Hakea varia</i> | Variable-leaved Hakea | Proteaceae | Dicot | | WA | 3 | SH | P | | y | 321 | | y | y | |
| | <i>Hibbertia acerosa</i> | Needle-leaved Hibbertia | Dilleniaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |
| | <i>Hibbertia huegelii</i> | Huegel's Hibbertia | Dilleniaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |
| | <i>Hibbertia hypericoides</i> | Common Hibbertia | Dilleniaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |
| | <i>Hyalosperma cotula</i> | Hyalosperma | Asteraceae | Dicot | | WA | 4 | H | A | | | 321 | y | y | y | y |
| | <i>Hydrocotyle alata</i> | Pennywort | Apiaceae | Dicot | | WA | 4 | H | A | | y | 321 | y | | | |
| | <i>Hydrocotyle diantha</i> | Pennywort | Apiaceae | Dicot | | WA | 4 | H | A | | | 321 | | y | | |
| | <i>Hydrocotyle pilifera</i> | Pennywort | Apiaceae | Dicot | | AUST | 4 | H | A | | | 321 | | y | | |
| | <i>Hypocalymma robustum</i> | Swan River Myrtle | Myrtaceae | Dicot | | WA | 3 | SH | P | | | 321 | y | | | |
| * Hypochaeris glabra | Flatweed | Asteraceae | Dicot | | | 4 | H | A | | | | 321 | y | y | y | y |
| Hypolaena exsulca | Hypolaena | Restionaceae | Monocot | | | 6 | S-R | P | | | | 321 | y | y | y | y |
| Hypoxis occidentalis var. occidentalis | Yellow Star | Hypoxidaceae | Monocot | | | WA | 4 | H | PAB | y | | 321 | y | | | |
| * Isolepis marginata | Coarse Clubrush | Cyperaceae | Monocot | | | AUST | 6 | S-C | A | | | 321 | | | y | |
| Isopogon asper | Rough Coneflower | Proteaceae | Dicot | s | | WA | 3 | SH | P | | | 321 | y | | | y |
| Isotropis cuneifolia subsp. cuneifolia | Granny's Bonnets | Papilionaceae | Dicot | | | WA | 4 | H-SH | P | | | 321 | y | | | |
| Jacksonia sternbergiana | Green Stinkwood | Papilionaceae | Dicot | | | WA | 3 | SH/T | P | | | 321 | y | | y | y |
| * Juncus bufonius | Toadrush | Juncaceae | Monocot | | | 6 | S-J | A | | | | 321 | | | y | |
| Juncus holoschoenus | Jointed Rush | Juncaceae | Monocot | | | AUST | 6 | S-J | P | AQD | | 321 | | | y | |
| Kingia australis | Kingia | Dasygolygonaceae | Monocot | | | WA | 4 | H | P | | | 321 | y | y | y | y |
| Kunzea micrantha subsp. micrantha | Clay Kunzea | Myrtaceae | Dicot | | | WA | 3 | SH | P | | y | 321 | | y | | y |
| Kunzea recurva | Purple Swamp Kunzea | Myrtaceae | Dicot | | | WA | 3 | SH | P | | y | 321 | | | y | y |
| Labichea punctata | Shrubby Labichea | Caesalpiniaceae | Dicot | | | WA | 3 | SH | P | | | 321 | y | | | |
| Laxmannia sessiliflora subsp. australis | Paper Lily | Anthericaceae | Monocot | | | WA | 4 | H | P | | | 321 | y | | | |
| Lechenaultia biloba | Blue Leschenaultia | Goodeniaceae | Dicot | | | WA | 4 | H-SH | P | | | 321 | | | | y |
| Lechenaultia expansa | Leschenaultia | Goodeniaceae | Dicot | | | WA | 4 | H-SH | P | | | 321 | y | | | |

Species lists based on plot records from DEP (1996), Gibson et al. (1994), Griffin (1993), Keighery (1996) and Weston et al. (1992). Taxonomy and species attributes according to Keighery et al. (2006) as of 16th May 2005.

| Wd? | Species Name | Common Name | Family | Major Plant Group | Significant Species | Endemic | Growth Form Code | Growth Form | Life Form | Life Form - aquatics | Common SSCP Wetland Species | BFS No | BRICK01 (FCT3a) | BRICK02 (FC-T20b) | BRICK03 (FCT3a) | BRICK04 (FCT9) | BRICK05 (FCT3a) | BRICK06 (FCT3a) | BRICK07 (FCT3a) | BRICK08 (FCT3a) |
|-----|---|---------------------------|----------------|-------------------|---------------------|---------|------------------|-------------|-----------|----------------------|-----------------------------|-----------------|-----------------|-------------------|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| | <i>Lepidosperma costale</i> | Lepidosperma | Cyperaceae | Monocot | WA | 6 | S-C | P | | | 321 | BRICK01 (FCT3a) | | | | | | | y | |
| | <i>Lepidosperma leptostachyum</i> | Lepidosperma | Cyperaceae | Monocot | WA | 6 | S-C | P | | | 321 | y | | | | | | | | |
| | <i>Lepidosperma longitudinale</i> | Swamp Swordsedge | Cyperaceae | Monocot | AUST | 6 | S-C | P | | y | 321 | | y | | | | | | | |
| | <i>Lepidosperma</i> sp. (Eastern terete) (BJ Keighery and N Gibson 232) | Lepidosperma | Cyperaceae | Monocot | WA | 6 | S-C | P | | | 321 | | | | | y | y | y | | |
| | <i>Lepidosperma squamatum</i> | Common Lepidosperma | Cyperaceae | Monocot | WA | 6 | S-C | P | | | 321 | | y | y | y | | | | | |
| | <i>Leporella fimbriata</i> | Hare Orchid | Orchidaceae | Monocot | WA | 4 | H | PAB | | | 321 | y | | | | | | | | |
| | <i>Lepyrodia macra</i> | Lepyrodia | Restionaceae | Monocot | | 6 | S-R | P | | y | 321 | y | y | | | y | y | y | | |
| | <i>Levenhookia pusilla</i> | Midget Stylewort | Stylidiaceae | Dicot | AUST | 4 | H | A | | | 321 | y | y | y | | y | | | | |
| | <i>Levenhookia stipitata</i> | Common Stylewort | Stylidiaceae | Dicot | WA | 4 | H | A | | | 321 | y | | | | | | | y | |
| | <i>Lobelia tenuior</i> | Slender Lobelia | Lobeliaceae | Dicot | WA | 4 | H | A | | | 321 | y | | | | | | | | |
| | <i>Lomandra brittanii</i> | Lomandra | Dasypogonaceae | Monocot | WA | 4 | H | P | | | 321 | | | | | | | | y | |
| | <i>Lomandra hermaphrodita</i> | Lomandra | Dasypogonaceae | Monocot | WA | 4 | H | P | | | 321 | | y | | | | | | y | |
| | <i>Lomandra micrantha</i> subsp. <i>micrantha</i> | Lomandra | Dasypogonaceae | Monocot | AUST | 4 | H | P | | | 321 | y | | | | | | | | |
| | <i>Lomandra odora</i> | Tiered Lomandra | Dasypogonaceae | Monocot | WA | 4 | H | P | | | 321 | y | | | | | | | | |
| | <i>Lomandra preissii</i> | Preiss's Lomandra | Dasypogonaceae | Monocot | WA | 4 | H | P | | | 321 | | | | | | | | y | |
| | <i>Lomandra purpurea</i> | Purple Lomandra | Dasypogonaceae | Monocot | WA | 4 | H | P | | | 321 | | y | | | | | | | |
| * | <i>Lotus angustissimus</i> | Slender Birdsfoot Trefoil | Papilionaceae | Dicot | | 4 | H | A | | | 321 | | | | | | | | y | |
| | <i>Lyginia barbata</i> | Lyginia | Restionaceae | Monocot | | 6 | S-R | P | | | 321 | | | | | | | | y y | |
| | <i>Lysinema ciliatum</i> | Curry Lysinema | Epacridaceae | Dicot | WA | 3 | SH | P | | | 321 | y | | | | | | | | |
| | <i>Meeboldina coangustata</i> | Meeboldina | Restionaceae | Monocot | | 6 | S-R | P | | y | 321 | | y | y | | | | | | |
| | <i>Melaleuca lateriflora</i> subsp. <i>acutifolia</i> | Melaleuca | Myrtaceae | Dicot | WA | 3 | SH | P | | y | 321 | | y | | | | | | | |
| | <i>Melaleuca viminea</i> subsp. <i>viminea</i> | Swamp Honeymyrtle | Myrtaceae | Dicot | WA | 3 | SH | P | | y | 321 | | y | | | | | | | |
| | <i>Mesomelaena pseudostygia</i> | Semaphore Sedge | Cyperaceae | Monocot | WA | 6 | S-C | P | | | 321 | y | | | | | | | | |
| | <i>Mesomelaena stygia</i> subsp. <i>stygia</i> | Telegraph Sedge | Cyperaceae | Monocot | WA | 6 | S-C | P | | | 321 | y | | | | | | | | |
| | <i>Mesomelaena tetragona</i> | Large Semaphore Sedge | Cyperaceae | Monocot | WA | 6 | S-C | P | | | 321 | y | y | y | y | y | y | y | y | |
| | <i>Nemcia reticulata</i> | Reticulate Nemcia | Papilionaceae | Dicot | WA | 3 | SH | P | | | 321 | | | | | | | | y y | |
| | <i>Neurachne alopecuroides</i> | Foxtail Mulga Grass | Poaceae | Monocot | AUST | 5 | G | P | | | 321 | y | | y | y | | | | | |
| | <i>Nuytsia floribunda</i> | Christmas Tree | Loranthaceae | Dicot | WA | 1 | T | P-PAR | | | 321 | y | y | | | | | | y y | |
| | <i>Patersonia occidentalis</i> | Purple Flag | Iridaceae | Monocot | AUST | 4 | H | P | | | 321 | y | | y | | | | | | |
| | <i>Patersonia occidentalis</i> (Swamp form) (N Gibson and MN Lyons 554) | Swamp Flag | Iridaceae | Monocot | WA | 4 | H | P | | y | 321 | y | | | | | | | y | |
| * | <i>Pennisetum clandestinum</i> | Kikuyu | Poaceae | Monocot | | 5 | G | P | | | 321 | | | | | | | | | |
| * | <i>Pentaschistis airoides</i> | False Hairgrass | Poaceae | Monocot | | 5 | G | A | | | 321 | | | | | | | | y | |
| | <i>Pericalymma ellipticum</i> | Pericalymma | Myrtaceae | Dicot | WA | 3 | SH | P | | y | 321 | y | y | y | y | y | y | y | y | |
| | <i>Petrophile juncifolia</i> | Rush Petrophile | Proteaceae | Dicot | WA | 3 | SH | P | | | 321 | | | | | | | | y | |
| | <i>Petrophile seminuda</i> | Petrophile | Proteaceae | Dicot | WA | 3 | SH | P | | | 321 | | | | | | | | | |
| | <i>Philothea spicata</i> | Salt and Pepper | Rutaceae | Dicot | AUST | 3 | SH | P | | | 321 | y | y | y | y | y | y | y | y | |
| | <i>Philydrella pygmaea</i> subsp. <i>pygmaea</i> | Common Philydrella | Philydraceae | Monocot | WA | 4 | H | PAB | | y | 321 | y | | | | | | | y | |
| | <i>Phlebocarya filifolia</i> | Phlebocarya | Haemodoraceae | Monocot | WA | 4 | H | P | | | 321 | | y | | | | | | | |
| * | <i>Phleum pratense</i> | Timothy Grass | Poaceae | Monocot | | 5 | G | A | | | 321 | | | | | | | | y | |
| | <i>Polypogon tenellus</i> | Native Barbgrass | Poaceae | Monocot | WA | 5 | G | A | | y | 321 | | y | | | | | | | |

Species lists based on plot records from DEP (1996), Gibson et al. (1994), Griffin (1993), Keighery (1996) and Weston et al. (1992). Taxonomy and species attributes according to Keighery et al. (2006) as of 16th May 2005.

| Wd? | Species Name | Common Name | Family | Major Plant Group | Significant Species | Endemic | Growth Form Code | Growth Form | Life Form | Life Form - aquatics | Common SSCP Wetland Species | BFS No | BRICK01 (FCT3a) | BRICK02 (FCT120b) | BRICK03 (FCT3a) | BRICK04 (FCT9) | BRICK05 (FCT3a) | BRICK06 (FCT3a) | BRICK07 (FCT3a) | BRICK08 (FCT3a) |
|-----|--|-------------------------------|---------------|-------------------|---------------------|---------|------------------|-------------|-----------|----------------------|-----------------------------|--------|-----------------|-------------------|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| | <i>Poranthera microphylla</i> | Poranthera | Euphorbiaceae | Dicot | | WA | 4 | H-SH | P | | | 321 | y | | | | | | | |
| | <i>Prasophyllum drummondii</i> | Swamp Leek Orchid | Orchidaceae | Monocot | | WA | 4 | H | PAB | | y | 321 | | | | y | | | | |
| | <i>Pterochaeta paniculata</i> | Woolly Waitzia | Asteraceae | Dicot | | WA | 4 | H | A | | | 321 | y | | | | | | | |
| | <i>Pyrorchis nigricans</i> | Red Beaks | Orchidaceae | Monocot | AUST | 4 | H | PAB | | | | 321 | y | | | | | | | |
| | <i>Quinetia urvillei</i> | Quinetia | Asteraceae | Dicot | AUST | 4 | H | A | | | | 321 | y | | | | | | | |
| | <i>Scaevola glandulifera</i> | Sticky Fanflower | Goodeniaceae | Dicot | | WA | 4 | H-SH | P | | | 321 | | | | | | | y | |
| | <i>Schoenolaena juncea</i> | Rush Umbel | Apiaceae | Dicot | | WA | 4 | H | PAB | y | 321 | y | | | | | | | | |
| | <i>Schoenus bifidus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | P | y | 321 | | | | y | | | | | |
| | <i>Schoenus brevisetis</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | P | | 321 | y | y | y | y | y | y | y | y | |
| | <i>Schoenus efoliatus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | P | | 321 | y | | | | | | | | |
| | <i>Schoenus nanus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | A | | 321 | y | | | | | | | | |
| | <i>Schoenus odontocarpus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | A | y | 321 | y | y | | | | | | | |
| | <i>Schoenus subbarbatus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | P | | 321 | | | | | | | | | |
| | <i>Schoenus subbulbosus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | P | | 321 | y | | | | | | | | |
| | <i>Schoenus subflavus</i> subsp. <i>subflavus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | P | | 321 | | | | | | | y | y | |
| | <i>Schoenus unispiculatus</i> | Schoenus | Cyperaceae | Monocot | | WA | 6 | S-C | P | y | 321 | y | y | y | | | | | | |
| | <i>Senecio quadridentatus</i> | Cotton Groundsel | Asteraceae | Dicot | AUST | 4 | H | P | | | 321 | | | | | | | | | |
| | <i>Siloxerus humifusus</i> | Siloxerus | Asteraceae | Dicot | | WA | 4 | H | A | | 321 | y | y | y | | | | | y | |
| * | <i>Sonchus asper</i> subsp. <i>glaucescens</i> | Rough Sowthistle | Asteraceae | Dicot | | | 4 | H | A | | 321 | | | | | | | | y | |
| * | <i>Sonchus oleraceus</i> | Common Sowthistle | Asteraceae | Dicot | | | 4 | H | A | | 321 | | | | | | | | y | |
| | <i>Sowerbaea laxiflora</i> | Purple Tassels | Anthericaceae | Monocot | | WA | 4 | H | PAB | | 321 | y | | | | | | | | |
| | <i>Stachystemon vermicularis</i> | Stachystemon | Euphorbiaceae | Dicot | | WA | 3 | SH | P | | 321 | y | | | | | | | | |
| | <i>Stirlingia latifolia</i> | Blueboy | Proteaceae | Dicot | | WA | 3 | SH | P | | 321 | | y | y | y | y | y | y | y | |
| | <i>Stylidium brunonianum</i> subsp. <i>brunonianum</i> | Pink Fountain Triggerplant | Styliadiaceae | Dicot | | WA | 4 | H | P | | 321 | y | | | | | | | y | |
| | <i>Stylidium dichotomum</i> | Pins-and-needles | Styliadiaceae | Dicot | | WA | 4 | H | P | | 321 | y | y | | | | | | y | |
| | <i>Stylidium ecorne</i> | Foot Triggerplant | Styliadiaceae | Dicot | AUST | 4 | H | A | | y | 321 | y | | | | | | | | |
| | <i>Stylidium mimeticum</i> | False Book Triggerplant | Styliadiaceae | Dicot | p,s | WA | 4 | H | A | | 321 | y | y | | | | | | | |
| | <i>Stylidium petiolare</i> | Horn Triggerplant | Styliadiaceae | Dicot | | WA | 4 | H | P | y | 321 | y | | | | | | | | |
| | <i>Stylidium piliferum</i> subsp. <i>piliferum</i> | Common Butterfly Triggerplant | Styliadiaceae | Dicot | | WA | 4 | H | P | | 321 | y | | | | | | | | |
| | <i>Stylidium pulchellum</i> | Thumbelina Triggerplant | Styliadiaceae | Dicot | | WA | 4 | H | P | y | 321 | y | | | | | | | | |
| * | <i>Sympyotrichum subulatum</i> | Bushy Starwort | Asteraceae | Dicot | | | 4 | H | A/P | | 321 | | | | | | | | y | |
| | <i>Synaphea petiolaris</i> | Synaphea | Proteaceae | Dicot | | WA | 3 | SH | P | | 321 | y | y | y | y | y | y | y | y | |
| | <i>Tetrania octandra</i> | Tetrania | Cyperaceae | Monocot | | WA | 6 | S-C | P | | 321 | y | y | y | y | y | y | y | y | |
| | <i>Thelymitra crinita</i> | Blue Lady Orchid | Orchidaceae | Monocot | | WA | 4 | H | PAB | | 321 | y | | | | | | | | |
| | <i>Thysanotus manglesianus</i> | Twining Fringed Lily | Anthericaceae | Monocot | | WA | 4 | H (CL) | PAB | | 321 | y | | | | | | | | |
| | <i>Thysanotus patersonii</i> | Twining Fringed Lily | Anthericaceae | Monocot | | WA | 4 | H (CL) | PAB | | 321 | y | y | y | y | y | y | y | y | |
| | <i>Thysanotus sparteus</i> | Fringed Lily | Anthericaceae | Monocot | | WA | 4 | H | P | | 321 | y | y | y | y | y | y | y | y | |
| | <i>Thysanotus thyrsoides</i> | Fringed Lily | Anthericaceae | Monocot | | WA | 4 | H | PAB | | 321 | | | | | | | | y | |
| | <i>Thysanotus triandrus</i> | Fringed Lily | Anthericaceae | Monocot | | WA | 4 | H | P | | 321 | y | y | | | | | | y | |
| | <i>Trachymene pilosa</i> | Small Laceflower | Apiaceae | Dicot | | | 4 | H | A | | 321 | y | y | | | | | | | |

Species lists based on plot records from DEP (1996), Gibson et al. (1994), Griffin (1993), Keighery (1996) and Weston et al. (1992). Taxonomy and species attributes according to Keighery et al. (2006) as of 16th May 2005.

| Wd? | Species Name | Common Name | Family | Major Plant Group | Significant Species | Endemic | Growth Form Code | Growth Form | Life Form | Life Form - aquatics | Common SSSCP Wetland Species | BFS No | | | | | | |
|-----|---------------------------------------|--------------------------|------------------|-------------------|---------------------|---------|------------------|-------------|-----------|----------------------|------------------------------|--------|---|---|---|---|---|---|
| | Tribonanthes australis | Tribonanthes | Haemodoraceae | Monocot | WA | 4 | H | PAB | y | 321 | y | | | | | | | |
| | Tribonanthes longipetala | Tribonanthes | Haemodoraceae | Monocot | WA | 4 | H | PAB | | 321 | y | | | | | | | |
| | Tricoryne elatior | Yellow Summer Lily | Anthericaceae | Monocot | | 4 | H | P | | 321 | y | y | y | | | | | |
| | Tricoryne humilis | Yellow Summer Lily | Anthericaceae | Monocot | WA | 4 | H | PAB | | 321 | y | y | y | y | y | y | y | y |
| | Tricostularia neesii var. neesii | Tricostularia | Cyperaceae | Monocot | WA | 6 | S-C | P | | 321 | | | | | | | | |
| | Tripterococcus brunonis | Tripterococcus | Stackhousiaceae | Dicot | WA | 4 | H-SH | P | | 321 | | y | y | y | y | y | y | y |
| * | Ursinia anthemoides | Ursinia | Asteraceae | Dicot | | 4 | H | A | | 321 | | | | y | | | | |
| | Velleia trinervis | Velleia | Goodeniaceae | Dicot | WA | 4 | H | PA | y | 321 | y | | | y | | | | |
| | Verticordia densiflora | Compacted Featherflower | Myrtaceae | Dicot | WA | 3 | SH | P | | 321 | | | | | | | | y |
| | Verticordia pennigera | Native Tea | Myrtaceae | Dicot | WA | 3 | SH | P | | 321 | | | | | | | | y |
| | Verticordia plumosa | Plumed Featherflower | Myrtaceae | Dicot | WA | 3 | SH | P | | 321 | | | | | | | | y |
| | Viminaria juncea | Swishbush | Papilionaceae | Dicot | AUST | 3 | SH/T | P | y | 321 | y | y | y | | | | | |
| * | Vulpia bromoides | Squirrel's Tail Fescue | Poaceae | Monocot | | 5 | G | A | | 321 | | | | | | | | y |
| * | Vulpia myuros | Rat's Tail Fescue | Poaceae | Monocot | | 5 | G | A | | 321 | | | | | | | | y |
| | Wahlenbergia preissii | Preiss's Native Bluebell | Campanulaceae | Dicot | AUST | 4 | H | A | | 321 | | y | | | | | | |
| * | Watsonia meriana var. bulbillifera | Bubil Watsonia | Iridaceae | Monocot | | 4 | H | PAB | | 321 | | y | y | y | | | | |
| * | Watsonia meriana var. meriana | Watsonia | Iridaceae | Monocot | | 4 | H | PAB | | 321 | | y | | | | | | |
| | Wurmbea dioica subsp. alba | Early Nancy | Colchicaceae | Monocot | AUST | 4 | H | PAB | | 321 | | y | y | | | | | |
| | Xanthorrhoea preissii | Balga | Xanthorrhoeaceae | Monocot | WA | 3 | SH | P | | 321 | y | y | y | y | y | y | y | y |
| | Xanthosia huegelii subsp. huegelii MS | Xanthosia | Apiaceae | Dicot | WA | 4 | H-SH | P | | 321 | y | y | y | y | y | y | y | y |
| | Xylomelum occidentale | Woody Pear | Proteaceae | Dicot | WA | 1 | T | P | | 321 | y | | | | | | | |